### **Conversations About**

# Dementia and Living Alone

The Alzheimer Society of Canada's "Conversations" series was created to help people with dementia, caregivers and health-care providers have conversations about complex and sensitive topics related to living with dementia. This sheet provides information on things to consider when deciding if a person with dementia should continue living alone. To read other issues in the Conversations series please visit alzheimer.ca/resources.

People with dementia, caregivers and health-care providers are encouraged to have conversations about all of the topics in this series early and throughout the progression of dementia. Even though talking about these topics can be difficult, it is only by having open conversations that it will be possible to be better prepared for the challenges that often come with dementia.

#### CONTENTS

In this sheet you will find information about dementia and living alone, including:

- An overview of how dementia affects a person's ability to live alone
- Issues to consider when deciding if the person with dementia should continue living alone
- Strategies to help the person with dementia live alone for as long as possible
- A list of useful resources

#### Dementia and living alone

Many people live alone. Living in a place that is safe, familiar and comfortable is important to everyone, including people

with dementia. A diagnosis of dementia does not automatically mean that a person is incapable of living alone. Some people may be capable of living on their own for some time after the diagnosis. Others may be considered too much at risk to continue living alone, a decision that is often difficult to determine. Strategies are available to help support a person with dementia who lives alone. As the dementia progresses, these strategies should be modified to meet the person's abilities.

#### Should the person with dementia continue living alone?

When deciding if a person with dementia is able to continue living alone, it is important to engage the person with dementia in these conversations where possible. This enables them to make choices to the best of their abilities. The person's ability to think about the consequences of their decisions should be considered when evaluating their competency, as well as when weighing the risks and benefits of living alone, with family, or in an assisted care environment.

#### Issues to consider when deciding if the person with dementia should continue living alone

Loss of independence	People with dementia may be concerned that a move away from home would mean a loss of self-reliance and control in their daily lives. Some people with dementia can tell when living alone is no longer safe or desirable. Others may want to stay in their own home for as long as possible, even if there are some safety concerns. At home, people follow life-long routines, are surrounded by a familiar neighbourhood and may have a circle of support that they would have a hard time leaving.
Premature move from home	Moving a person from home before it is needed may put the person at risk of feeling lonely, and may result in a faster cognitive decline. The person with dementia may have a higher tolerance for risk than caregivers, and may feel pressured into moving out of the home earlier than necessary.
	It is important to remember that some people with dementia may be capable of living on their own for some time after the diagnosis. As a person's dementia progresses and their abilities change, other living arrangements may be considered.
	To learn more about the progression of Alzheimer's disease, visit alzheimer.ca/stages.
Social engagement	Evidence shows that staying socially active can help keep your brain healthy, allowing people with dementia to live independently for a longer period of time.
	Many communities offer adult day programs with transportation. These programs provide supervised activities, usually in a group setting, that promote independence, provide stimulation and encourage social interaction.
	It is also important that caregivers remain active members of their communities, as they are at risk of becoming socially isolated and lonely. Adult day programs provide caregivers with time to focus on themselves while the person they care for is in a safe and trusted environment.
	To learn more about community services available in your area, contact your local Alzheimer Society. Visit our website at alzheimer.ca/find or email info@alzheimer.ca.
Living environments that provide	People with dementia need to live in environments that best support their safety and quality of life. For some, this may mean living at home with support services, even if there is some risk.
safety, good quality of life and support	The amount and type of supports available are important factors in determining if a person can live alone. For example, a person with a large family living in a community with many services may be better able to live alone than someone with no family living in a community with limited services.

#### Conversations About Dementia and Living Alone

#### Use these questions to help guide your decision:

TesNOSometimeKnoCan the person still do most activities without assistance?Image: Sometime Some					
Is the person able to understand the consequences of their actions?		Yes	No	Sometimes	l don' know
Is it still safe for the person to live alone? Think about the risks and beenefits of the person living alone in comparison to having home beenefits of the person living alone in comparison to having home beenefits of the person living alone in comparison to having home beenefits of the person living alone in comparison to having home beenefits of the person living alone in your community. It is there enough support services available in your community. In an emergency situation, such as a fire, would the person be able to call for help, or have the ability to leave their home without assistance? Can the person live at home without posing a risk to others? An example of risk might be living in an apartment and regularly causing fires with the stove or cigarettes. If the person had an accident, such as a fall, do they have the physical and cognitive ability to get to a safe place or to use an alert system to call for help? Is a home safety assessment needed? Is a home safety assessment needed? Is the person able to store foods properly so they they don't spoil? Is the person handle day-to-day financial transactions, such as keeping track of bills and paying bills promptly? Are there safeguards in place to reduce the risk of financial exploitation or abuse? Would the person be able to understand if they were sick and take appropriate action, such as calling for help? Is the person able to take care of personal hygiene, such as bathing and toileting? Does the person have physical and social stimulation during the day?	Can the person still do most activities without assistance?				
benefits of the person living alone in comparison to having home       Image: Comparison to the person live alone?         support services or moving to an assisted care environment.       Image: Comparison to environment and person live alone?         ls there enough support available to help the person live alone?       Image: Comparison to environment and person be able to call for help, or have the ability to leave their home without assistance?       Image: Comparison to environment and regularly causing fires with the stove or cigarettes.         If the person had an accident, such as a fall, do they have the polysical and cognitive ability to get to a safe place or to use an alert system to call for help?       Image: Comparison to easily the provide the person live alone?         Is a home safety assessment needed?       Image: Comparison to easily the person had an accident, such as a fall, do they have the polysical and cognitive ability to get to a safe place or to use an alert system to call for help?       Image: Comparison to easily the person live alone?         Is a home safety assessment needed?       Image: Comparison the person able to store foods properly so they they don't spoil?       Image: Comparison to easily the person such as keeping track of bills and paying bills promptly?       Image: Comparison take appropriate action, such as calling for help?       Image: Comparison take appropriate action, such as calling for help?       Image: Comparison take appropriate action, such as calling for help?       Image: Comparison take appropriate action, such as calling for help?       Image: Comparison take appropriate action, such as calling for help?       Imagee: Comparison take appropriate action, su	Is the person able to understand the consequences of their actions?				
Learn about support services available in your community.       Image: Services available in your community.         In an emergency situation, such as a fire, would the person be able to call for help, or have the ability to leave their home without assistance?       Image: Services available in your community.         Can the person live at home without posing a risk to others? An example of risk might be living in an apartment and regularly causing fires with the stove or cigarettes.       Image: Services available in your community.         If the person had an accident, such as a fall, do they have the pohysical and cognitive ability to get to a safe place or to use an alert system to call for help?       Image: Service Servic	Is it still safe for the person to live alone? Think about the risks and benefits of the person living alone in comparison to having home support services or moving to an assisted care environment.				
to call for help, or have the ability to leave their home without assistance? Can the person live at home without posing a risk to others? An example of risk might be living in an apartment and regularly causing fires with the stove or cigarettes. If the person had an accident, such as a fall, do they have the physical and cognitive ability to get to a safe place or to use an alert system to call for help? Is a home safety assessment needed? Can the person remember to eat regular meals or to reheat meals? Is the person able to maintain a healthy weight? Is the person able to store foods properly so they they don't spoil? Can the person handle day-to-day financial transactions, such as keeping track of bills and paying bills promptly? Are there safeguards in place to reduce the risk of financial exploitation or abuse? Would the person be able to understand if they were sick and take appropriate action, such as calling for help? Is the person able to take care of personal hygiene, such as bathing and toileting? Does the person have physical and social stimulation during the day?	Is there enough support available to help the person live alone? Learn about support services available in your community.				
example of risk might be living in an apartment and regularly causing fires with the stove or cigarettes.If the person had an accident, such as a fall, do they have the physical and cognitive ability to get to a safe place or to use an alert system to call for help?Is a home safety assessment needed?Can the person remember to eat regular meals or to reheat meals?Is the person able to maintain a healthy weight?Is the person able to store foods properly so they they don't spoil?Can the person handle day-to-day financial transactions, such as keeping track of bills and paying bills promptly?Would the person be able to understand if they were sick and take appropriate action, such as calling for help?Is the person able to take care of personal hygiene, such as bathing and toileting? </td <td>In an emergency situation, such as a fire, would the person be able to call for help, or have the ability to leave their home without assistance?</td> <td></td> <td></td> <td></td> <td></td>	In an emergency situation, such as a fire, would the person be able to call for help, or have the ability to leave their home without assistance?				
physical and cognitive ability to get to a safe place or to use an alert system to call for help?Is a home safety assessment needed?Can the person remember to eat regular meals or to reheat meals?Is the person able to maintain a healthy weight?Is the person able to store foods properly so they they don't spoil?Can the person handle day-to-day financial transactions, such as keeping track of bills and paying bills promptly?Are there safeguards in place to reduce the risk of financial exploitation or abuse?Would the person be able to understand if they were sick and take appropriate action, such as calling for help?Is the person able to take care of personal hygiene, such as bathing and toileting?Does the person have physical and social stimulation during the day?	Can the person live at home without posing a risk to others? An example of risk might be living in an apartment and regularly causing fires with the stove or cigarettes.				
Can the person remember to eat regular meals or to reheat meals? Is the person able to maintain a healthy weight? Is the person able to store foods properly so they they don't spoil? Can the person handle day-to-day financial transactions, such as keeping track of bills and paying bills promptly? Are there safeguards in place to reduce the risk of financial exploitation or abuse? Would the person be able to understand if they were sick and take appropriate action, such as calling for help? Is the person able to take care of personal hygiene, such as bathing and toileting? Does the person have physical and social stimulation during the day? Is the person have physical and social stimulation during the day?	If the person had an accident, such as a fall, do they have the physical and cognitive ability to get to a safe place or to use an alert system to call for help?				
Is the person able to maintain a healthy weight? Is the person able to store foods properly so they they don't spoil? Can the person handle day-to-day financial transactions, such as keeping track of bills and paying bills promptly? Are there safeguards in place to reduce the risk of financial exploitation or abuse? Would the person be able to understand if they were sick and take appropriate action, such as calling for help? Is the person able to take care of personal hygiene, such as bathing and toileting? Does the person have physical and social stimulation during the day?	Is a home safety assessment needed?				
Is the person able to store foods properly so they they don't spoil? Can the person handle day-to-day financial transactions, such as keeping track of bills and paying bills promptly? Are there safeguards in place to reduce the risk of financial exploitation or abuse? Would the person be able to understand if they were sick and take appropriate action, such as calling for help? Is the person able to take care of personal hygiene, such as bathing and toileting? Does the person have physical and social stimulation during the day?	Can the person remember to eat regular meals or to reheat meals?				
Can the person handle day-to-day financial transactions, such as keeping track of bills and paying bills promptly? Are there safeguards in place to reduce the risk of financial exploitation or abuse? Would the person be able to understand if they were sick and take appropriate action, such as calling for help? Is the person able to take care of personal hygiene, such as bathing and toileting? Does the person have physical and social stimulation during the day?	Is the person able to maintain a healthy weight?				
keeping track of bills and paying bills promptly?       Image: Comparison of the property of the property of the property of the person be able to understand if they were sick and take appropriate action, such as calling for help?       Image: Comparison of the person able to take care of personal hygiene, such as bathing and toileting?         Does the person have physical and social stimulation during the day?       Image: Comparison of the person able to take care of the person able take care of the person able take care of the person able take	Is the person able to store foods properly so they they don't spoil?				
exploitation or abuse? Would the person be able to understand if they were sick and take appropriate action, such as calling for help? Is the person able to take care of personal hygiene, such as bathing and toileting? Does the person have physical and social stimulation during the day?	Can the person handle day-to-day financial transactions, such as keeping track of bills and paying bills promptly?				
appropriate action, such as calling for help?       Image: Constraint of the second seco	Are there safeguards in place to reduce the risk of financial exploitation or abuse?				
and toileting? Does the person have physical and social stimulation during the day?	Would the person be able to understand if they were sick and take appropriate action, such as calling for help?				
	Is the person able to take care of personal hygiene, such as bathing and toileting?				
Is the person able to monitor and manage daily medications?	Does the person have physical and social stimulation during the day?				
	Is the person able to monitor and manage daily medications?				

#### Use the following checklists to help you with strategies to enhance independent living

#### Safety

The following are some strategies that you can use to promote safety:

STRATEGY	BENEFITS	THINGS TO CONSIDER
Leave a set of house keys with trusted neighbours.	<ul> <li>Access to the home is available.</li> <li>Someone can enter the home if help is needed.</li> </ul>	<ul> <li>Neighbours may not always be at home.</li> <li>Leave a set of keys with two different neighbours.</li> </ul>
Arrange for someone to call or visit once a day.	<ul> <li>Regular checks can reassure the person with dementia as well as their family.</li> <li>Timed calls or visits can help ensure that the person eats or takes medication.</li> <li>Calls or visits can help monitor the condition of the person.</li> </ul>	<ul> <li>Problems may arise between calls or visits.</li> <li>Consider checking in with the person twice a day. This can be a quick phone call in the morning and a second phone call in the late afternoon.</li> </ul>
<ul> <li>Think about implementing tools that would prevent the person from getting lost (if that is a risk) or that would aid them in such a situation.</li> <li>Consider getting a tracking device. For more information visit alzheimer.ca/trackingdevices.</li> </ul>	<ul> <li>Helps find a person if they get lost.</li> <li>Some devices or services may also connect with first responders in your area. Check to make sure, though, if this is a factor you are interested in.</li> </ul>	<ul> <li>Tracking devices are not perfect and may not work in some situations.</li> <li>Consider implementing multiple strategies to keep the person safe.</li> <li>Tracking devices can be costly.</li> </ul>
<ul> <li>Create appliance safety measures:</li> <li>Get a kettle that automatically shuts off after the water finishes boiling.</li> <li>Stove safety - remove fuses, remove knobs, put burners on timers and shut the off gas.</li> <li>Lower the temperature of the hot water heater.</li> </ul>	• Minimizes the chances of an accident.	<ul> <li>Some people may find the changes confusing or frustrating.</li> <li>Consider incorporating changes slowly to give the person time to adjust.</li> </ul>
<ul> <li>Post a visible, easy-to-read list of emergency phone numbers.</li> <li>Consider adding a picture beside each name and telephone number.</li> <li>Consider adding speed dial numbers (if the phone has this feature) with pictures.</li> <li>Consider getting a phone with a limited number of features (e.g., preprogrammed phone numbers).</li> </ul>	<ul> <li>Provides visual cue for the person with dementia.</li> <li>Is reassuring for the person with dementia and their family.</li> </ul>	<ul> <li>The list may not always be handy in certain situations (for example, if a fall happens away from the phone).</li> <li>Consider purchasing an alert button that allows the person to call for help in an emergency situation, or a fall detection device.</li> </ul>

#### **Food and Nutrition**

It is important that the person with dementia maintains a healthy weight and has access to a balanced diet. The following are some strategies that you can use to help the person with dementia remember to have fresh food on hand and eat regular meals:

STRATEGY	BENEFITS	THINGS TO CONSIDER
Meals on Wheels or other community support programs such as community dining, and fresh fruit and vegetable deliveries.	<ul> <li>Meals on Wheels delivers a nutritious hot meal once a day.</li> <li>Community dining programs provide an opportunity to socialize.</li> </ul>	<ul> <li>It may be difficult to monitor if food has been eaten or stored properly.</li> <li>When visiting the person, look to see if their food is stored properly or if it is spoiling.</li> <li>Time a phone call with a reminder to eat.</li> <li>Consider having a neighbour or a support worker drop by to share a meal with the person.</li> <li>Consider delivery of frozen Meals on Wheels which can be eaten at any time.</li> </ul>
Grocery delivery services (online or by telephone).	<ul> <li>Delivers heavy items and fresh food.</li> </ul>	<ul> <li>Services can be costly.</li> <li>Internet access and familiarity with technology is needed for online orders.</li> <li>Consider having a friend or relative order for the person.</li> </ul>
Provide a toaster oven or microwave for heating food.	<ul> <li>Good alternatives to stove.</li> <li>Allows use of pre-prepared foods with little work.</li> </ul>	<ul> <li>The person may not know how to use the appliances or may not be able to read or follow instructions when preparing food.</li> <li>Accidental use of metal in a microwave.</li> <li>When choosing an appliance, ensure that it is simple and easy to use.</li> </ul>
Use pre-prepared foods, non- perishable foods and foods that do not need to be stored in a refrigerator.	<ul> <li>Preparation is easier.</li> <li>Less concern about spoilage.</li> </ul>	<ul> <li>Preparation may still be too complex.</li> <li>The person may not like the food.</li> </ul>

#### **Medication**

The following are some strategies you can use to help the person remember to take their medications:

STRATEGY	BENEFITS	THINGS TO CONSIDER
<ul> <li>Simplify medication routines. For example:</li> <li>Use a medication organizer.</li> <li>Have someone visit to give medication.</li> <li>Consider a blister pack prepared by a pharmacist.</li> </ul>	<ul> <li>Allows only a small supply of pills at once.</li> <li>Helps the person take medication on the right day and time.</li> <li>Easy to keep track of whether medication doses are missed.</li> <li>Helps with relationship building with the local pharmacy.</li> </ul>	<ul> <li>Possibility for confusion about day and time.</li> <li>May not prevent the person from taking extra medication, if more than one day's supply is available.</li> <li>When visiting the person, make it a habit to check their medication. If possible, give them the medication yourself.</li> </ul>

#### **Finances**

The following are strategies to help the person with dementia handle day-to-day financial transactions and reduce the risk of financial exploitation or abuse:

STRATEGY	BENEFITS	THINGS TO CONSIDER
Bank-at-home services (telephone or online).	<ul> <li>Person does not have to leave home.</li> <li>Provides a more accessible service.</li> </ul>	<ul><li>Person may not be able to understand their finances.</li><li>Does not protect from overpayment/non payment of bills, or from scams.</li></ul>
Direct deposit of cheques and automatic withdrawal for bill payments.	• This hands-free approach to banking reduces the chances of problems happening, such as missed payments.	<ul> <li>Register for "Do Not Call" solicitation lists.</li> <li>Limit access to credit cards.</li> <li>Consider making the bank manager aware of the person's dementia.</li> </ul>
Make someone else, such as a substitute decision-maker or power of attorney, responsible for handling finances, such as writing cheques, paying bills and/or monitoring accounts.	• Allows person to manage finances with some independence yet provides protection.	<ul> <li>Person may not be willing to use new methods or have someone help with finances.</li> <li>Talk about finances as early in the dementia process as you can.</li> <li>Consider giving the person money on a weekly or monthly basis to provide them with some independence.</li> </ul>

#### Falls

Falls are the leading cause of injury-related deaths for older adults, and those who live with dementia are especially at risk of falling. The following strategies may help you modify the home environment to reduce the risk of falls while enhancing independence:

- Ensure that there is good lighting. Make sure that each room has enough light, and reduce dark areas and shadows.
- Clear walking paths inside the home by removing tripping hazards such as a loose rug or electrical cords.
- Reduce clutter inside and outside the home. Ensure that there are no dips in walkways outside the home, and that there is no uneven ground.
- Purchase safe footwear. Shoes that have velcro fastenings are a good option as they are easy to take on and off.
- Place night lights throughout the home for when the person needs to go to the bathroom or kitchen during the night.
- Install railings inside and outside the house, as well as grab bars in the bathroom for extra support.
- Use non-slippery bath mats and place non-slip strips in the bath/shower. Avoid using a dark coloured bath mat, as it could be mistaken for a hole. Buy a mat that matches the colour of the bath/shower.
- Remove soap build-up in the tub or shower on a regular basis to avoid slipping.

#### **Daily living**

The following are strategies to help the person with dementia manage personal hygiene, remain physically and socially stimulated throughout the day, and have an emergency system in place in case they need help:

STRATEGY	BENEFITS	THINGS TO CONSIDER
Implement an emergency call system, such as an alert button.	<ul> <li>The person has 24-hour access to help should a problem occur.</li> </ul>	<ul> <li>The person may not be able to understand the concept or use of an alert button.</li> <li>Consider products that alert when no motion is detected.</li> </ul>
Get someone to help with practical tasks, such as housekeeping and meal preparation. You can adjust these tasks to make them easier. For example, sort closets and dresser drawers so that fewer options are available.	<ul> <li>Someone is in the home to supervise activity and provide companionship.</li> <li>Tasks get accomplished.</li> <li>Sorting closets and dresser drawers makes decisions about what to wear easier.</li> </ul>	<ul> <li>The person with dementia may be reluctant to accept help.</li> <li>Sorting closets may not help if the person has trouble knowing when or how to dress.</li> <li>Give the person as much independence as possible. Try asking the person first before providing hands-on assistance.</li> </ul>
Get support with managing personal care, either through agency support or friends/ family.	<ul> <li>Maintaining personal hygiene supports overall general health and wellbeing.</li> </ul>	<ul> <li>Getting support comes with privacy concerns.</li> <li>Services can be costly.</li> <li>If agency support is required, a strong relationship between the care provider and person with dementia needs to be established. This can be a time-consuming and frustrating process if there is considerable staff turnover.</li> <li>Try to arrange for consistent workers; this will make it easier to build a working relationship between the care provider and person with dementia.</li> <li>For more information about dementia and personal care, visit alzheimer.ca/personalcare.</li> </ul>
Sign up for day programs	<ul> <li>Helps the person remain an active member of their community.</li> <li>Provides physical and mental stimulation.</li> </ul>	<ul> <li>The person with dementia may be reluctant to attend a program.</li> <li>Try contacting community agencies that have volunteer companionship programs.</li> <li>Promote the day program as a place where the person can share their interests and help others.</li> </ul>

For more information about living alone and dementia contact your local Alzheimer Society at 1-855-705-4636 or visit alzheimer.ca/find.

#### Driving

If the person is still driving, it is recommended to monitor their driving skills and abilities to make sure it is still safe for the person to drive. For example, consider if you still feel safe in the car with the person driving.

It is important to plan ahead for the time when driving may no longer be safe. Look for alternative modes of transportation such as public transit, services provided by community organizations, transportation organized by family and friends or setting up an account with a local taxi company.

For more information about driving and dementia please read our "Conversations about driving and dementia" information sheet available at alzheimer.ca/driving.

#### **USEFUL RESOURCES:**

Alzheimer Society of Canada. Personal care. alzheimer.ca/personalcare

Canadian Association of Occupational Therapists. Find an occupational therapist. caot.ca/site/findot



## **Alzheimer** Society

Alzheimer Society of Canada 20 Eglinton Avenue West, 16<sup>th</sup> Floor Toronto, Ontario M4R 1K8 National Office: 1-800-616-8816 Information and Referrals: 1-855-705-4636 (INFO) info@alzheimer.ca @ alzheimer.ca @AlzheimerCanada @ @AlzCanada @ @AlzheimerCanada

Charitable registration number: 11878 4925 RR0001